



INDIO NETWORKS

## DATASHEET

### UniBox U-50 Network Access and Bandwidth Controller

UniBox is an intelligent access controller combined with a comprehensive billing and bandwidth management solution. UniBox allows network administrators centrally manage wired and wireless network, avoid unauthorized access and track real-time activity on the network.



[www.indionetworks.com](http://www.indionetworks.com)



+91 (20) 6715 7373



[sales@indionetworks.com](mailto:sales@indionetworks.com)

## UniBox U-50

Network Access and Bandwidth Controller



UniBox U-50 comes with a captive portal engine, bandwidth controller, policy manager, URL tracker, reporting system and is designed to work seamless with WiFiLAN Cloud hotspot manager. Remote U-50 units can be centrally controlled and tracked using WiFiLAN, allowing administrators to have complete control on their Wi-Fi networks.

UniBox U-50 belongs to a family of UniBox controllers that is specially designed for managing network access in small venues like cafes, restaurants, small hotels/inns, training institutes, small offices and public Wi-Fi hotspots. U-50 is capable of handling 50 concurrent user sessions and is built on a reliable Linux platform to provide high availability and performance for small-sized networks.

## CAPTIVE PORTAL



### Universal Controller

- ▶ Wireless/Wired LAN Controller
- ▶ Hotspot Controller
- ▶ Firewall
- ▶ Multi-WAN Router
- ▶ Built-in AAA Server
- ▶ DHCP Server

### Networking

- ▶ Gigabit LAN & WAN Ports
- ▶ DNS Server
- ▶ Multi-WAN \*
- ▶ Port Forwarding
- ▶ Group-based Routing
- ▶ Network Monitoring

### Policy Manager

- ▶ Bandwidth Rate Limiting
- ▶ Time and Data Quota Limits
- ▶ Dynamic Bandwidth Allocation
- ▶ Group-based Policies
- ▶ Fair Usage Policy
- ▶ Date/Time Policies

### User Management

- ▶ Automated User Provisioning
- ▶ Per-User Rate Limits
- ▶ MAC-based Authentication
- ▶ Approval-based Registrations
- ▶ User Groups

### Hotspot Billing

- ▶ Billing Plans
- ▶ Payment Gateway Integration
- ▶ Access Codes / Vouchers
- ▶ Integration with Multiple PMS Vendors
- ▶ Canned Emails
- ▶ Tiered Billing
- ▶ Automated Emails

### Captive Portals

- ▶ Template-based Captive Portals
- ▶ Multiple Login Methods
- ▶ On-board Portal Server
- ▶ Two-Factor (SMS/OTP) Logins
- ▶ Social Media Login
- ▶ Ad Integration

### Reporting

- ▶ Online Users
- ▶ Usage Reports
- ▶ Social Media Profiling
- ▶ Revenue Reports
- ▶ PMS & Voucher Reports
- ▶ Network Monitoring Reports
- ▶ Automated Reporting

### Compliance

- ▶ Group-based URL Filtering
- ▶ Web Logging & Archiving
- ▶ TRAI/DoT Compliance
- ▶ User Isolation
- ▶ MAC Blacklist

### Other

- ▶ Remote Syslogs
- ▶ Automatic Updates
- ▶ Role-based Administration
- ▶ Audit Trails
- ▶ Diagnostic Tools



## TECHNICAL SPECIFICATIONS

### Interface

1 LAN Port (RJ-45) – 10/100/1000 base T/Tx  
1 WAN Port (RJ-45) – 10/100/1000 base T/Tx  
1 Service(RJ-45) – 10/100/1000 base T/Tx  
2 USB Ports

### Networking

Static & Dynamic routing  
DNS & DHCP server  
Layer 2 isolation  
SNMP v2c support  
NTP (RFC 1305) support

### Power Rating

Input Voltage : 12V DC, 2 A  
Power Consumption : 5W  
Heat Dissipation : 300 BTU

### Compliance

CE Emission  
FCC Class A, RoHS


Form Factor: Standalone  
Physical Dimensions: 176 x 174 x 30 mm  
Net Weight: 500 gms or 1.1 lbs

Operating Temperature : 5°C to 50°C  
Non-condensing Humidity : 8% - 90%  
Fanless Design

### Physical Property

#### Dimensions

#### Environmental



## IDEAL FOR



Telecom



Hotels & Enterprises



Healthcare



Universities



Public Places



Airports



Transport

**Indio Networks**  
India, Head Office  
C-410, Teerth Technospace  
Baner, Pune - 411045, India

**USA**  
815-A Brazos St, Suite 326  
Austin, Texas - 78701 U.S.A.

**UAE**  
P.O.Box - 120360,  
Sharjah, UAE

**Africa**  
5th Floor Centage Plaza, 14  
Allen Ave. Ikeja, Lagos, Nigeria

### Indio Networks International Offices